




## Aluminium Profile S-Line Tiles Top






The PROLED aluminium profiles are the perfect addition to the PROLED FLEX STRIPS. The FLEX STRIPS can be glued into the profile. The aluminum profiles are in anodized aluminium, white RAL 9016 or black similar to RAL 9005 available. The profile can simply be sawn to any required length or ordered in the required custom length. Different versions of Aluminium profiles and different shapes of plastic covers are available. In addition we offer a wide range of accessories.

S-LINE STEP TILES TOP (tiles profile)

For tiles thickness up to 14 mm suitable.


Flat plastic covers are available in following versions:

- crystal clear
- frost (semitransparent)
- milky frost (opal)
- black (translucent effect)



Suitable for IP20 and IP53 FLEX STRIP. For applications in wet area the IP53 FLEX STRIP has to be sealed on the sides with acid-free silicone (e.g. **L6396** or **L65XT909**).

All PROLED aluminium profiles, plastic covers and end caps are protected by registered community designs (international design patents).



## CUSTOMIZING PROFILES

## 5 YEARS WARRANTY INFORMATION

## COMPATIBILITY ALUMINIUM PROFILE S-LINE TILES TOP AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

DMX STRIP 30	–
FLEX STRIP ROCKET	×
FLEX STRIP 300-12	×
FLEX STRIP 400 ENERGY	×
FLEX STRIP 400	×

FLEX STRIP 600 CC	×
FLEX STRIP 800 ENERGY	×
FLEX STRIP 800	×
FLEX STRIP 800 EXTRA BRIGHT	×
FLEX STRIP 1200 SINGLE	×
FLEX STRIP 400 HE+	×
FLEX STRIP 800 HE+	×
FLEX STRIP 1200 HE+	–
FLEX STRIP SPOTLESS	–
FLEX STRIP COB LP	×
FLEX STRIP COB	×
FLEX STRIP 5630 HE+	×
FLEX STRIP Xtend	–
FLEX STRIP 900 FOOD	×
FLEX STRIP DIM-TO-WARM 1400	×
FLEX STRIP DW 2-IN-1	×
FLEX STRIP COB DW	×
FLEX STRIP HD RGB	×
FLEX STRIP HD+ RGB	–
FLEX STRIP 3535 RGB	×
FLEX STRIP Xtend RGB	–
FLEX STRIP RGBA 4-IN-1	–
FLEX STRIP RGBW 4-IN-1	–
FLEX STRIP RGBW	–
FLEX STRIP Xtend RGBW	–
FLEX STRIP RGBAW	–

FLES STRIP RGB+CCT 5-IN-1	–
FLES STRIP HD RGB+CCT 5-IN-1	–
FLEX STRIPS DIGITAL	×

## COMPATIBILITY ALUMINIUM PROFILE S-LINE TILES TOP AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

FLEX STRIP IP53 400	×
FLEX STRIP IP53 800	×
FLEX STRIP IP53 400 HE+	×
FLEX STRIP IP53 800 HE+	×
FLEX STRIP IP53 HD RGB	×
FLEX STRIP IP68 400 ENERGY	–
FLEX STRIP IP68 400	–
FLEX STRIP IP68 800 ENERGY	–
FLEX STRIP IP68 800	–
FLEX STRIP IP68 400 HE+	–
FLEX STRIP IP68 800 HE+	–
FLEX STRIP SPOTLESS	–
FLEX STRIP IP65 Xtend	–
FLEX STRIP IP65 900 FOOD	–
FLEX STRIP IP65 WELLNESS	–
FLEX STRIP IP68 HD RGB	–
FLEX STRIP IP68 RGBW 4-IN-1	–
FLEX STRIP IP68 RGB+CCT 5-IN-1	–

FLEX STRIP IP68 HD RGB+CCT 5-IN-1	—
FLEX STRIP IP65 DIGITAL	—
FLEX STRIP OPAL HAMBURG	—
FLEX STRIP OPAL LONDON	—
FLEX STRIP OPAL LIVERPOOL	—
FLEX STRIP OPAL MILAN	—
FLEX STRIP OPAL SIDE VIEW	—
FLEX STRIP OPAL 360	—
FLEX STRIP XTREME MONO	—
FLEX STRIP XTREME RGB	—

## PRODUCT TYPES

order code	description	length
<b>L69T100</b>	ALUMINIUM PROFILE S-LINE TILES TOP	2 m
<b>L69T100X</b>	ALUMINIUM PROFILE S-LINE TILES TOP	3 m
<b>L69T100Z</b>	ALUMINIUM PROFILE S-LINE TILES TOP	per meter (max. 3 m)*
<b>L69T100W</b>	ALUMINIUM PROFILE S-LINE TILES TOP white**	2 m
<b>L69T100WZ</b>	ALUMINIUM PROFILE S-LINE TILES TOP white**	per meter (max. 2 m)*
<b>L69T100B</b>	ALUMINIUM PROFILE S-LINE TILES TOP black***	2 m
<b>L69T100BX</b>	ALUMINIUM PROFILE S-LINE TILES TOP black***	3 m
<b>L69T100BZ</b>	ALUMINIUM PROFILE S-LINE TILES TOP black***	per meter (max. 3 m)*
<b>L69T010E</b>	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm	-

<b>order code</b>	<b>description</b>	<b>length</b>
<b>L69T010EW</b>	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm white**	-
<b>L69T010EB</b>	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm black***	-

\***Custom Length** / \*\*white RAL 9016 / \*\*\*black similar to RAL 9005

---

MEMBER OF THE PROLED GROUP