


Aluminium Profile S-Line Tiles





The PROLED aluminium profiles are the perfect addition to the PROLED FLEX STRIPS. The FLEX STRIPS can be glued into the profile. The aluminum profiles are in anodized aluminium, white RAL 9016 or black similar to RAL 9005 available. The profile can simply be sawn to any required length or ordered in the required custom length. Different versions of Aluminium profiles and different shapes of plastic covers are available. In addition we offer a wide range of accessories.


S-LINE STEP TILES (tiles profile)

Version 10 mm for tiles thickness up to 10 mm suitable.

Version 13 mm for tiles thickness up to 13 mm suitable.

Flat plastic covers are available in following versions:


- crystal clear
- frost (semitransparent)
- milky frost (opal)
- black (translucent effect)




Suitable for IP20 and IP53 FLEX STRIP. For applications in wet area the IP53 FLEX STRIP has to be sealed on the sides with acid-free silicone (e.g. **L6396** or **L65XT909**).

All PROLED aluminium profiles, plastic covers and end caps are protected by registered community designs (international design patents).

VERSION 10 mm



VERSION 13 mm



CUSTOMIZING PROFILES

5 YEARS WARRANTY INFORMATION

COMPATIBILITY ALUMINIUM PROFILE S-LINE TILES AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the

compatibility based on the dimensions.

DMX STRIP 30	—
FLEX STRIP ROCKET	×
FLEX STRIP 300-12	×
FLEX STRIP 400 ENERGY	×
FLEX STRIP 400	×
FLEX STRIP 600 CC	×
FLEX STRIP 800 ENERGY	×
FLEX STRIP 800	×
FLEX STRIP 800 EXTRA BRIGHT	×
FLEX STRIP 1200 SINGLE	×
FLEX STRIP 400 HE+	×
FLEX STRIP 800 HE+	×
FLEX STRIP 1200 HE+	—
FLEX STRIP SPOTLESS	—
FLEX STRIP COB LP	×
FLEX STRIP COB	×
FLEX STRIP 5630 HE+	×
FLEX STRIP Xtend	—
FLEX STRIP 900 FOOD	×
FLEX STRIP DIM-TO-WARM 1400	×
FLEX STRIP DW 2-IN-1	×
FLEX STRIP COB DW	×
FLEX STRIP HD RGB	×
FLEX STRIP HD+ RGB	—
FLEX STRIP 3535 RGB	×

FLEX STRIP Xtend RGB	—
FLEX STRIP RGBA 4-IN-1	—
FLEX STRIP RGBW 4-IN-1	—
FLEX STRIP RGBW	—
FLEX STRIP Xtend RGBW	—
FLEX STRIP RGBAW	—
FLES STRIP RGB+CCT 5-IN-1	—
FLES STRIP HD RGB+CCT 5-IN-1	—
FLEX STRIPS DIGITAL	×

COMPATIBILITY ALUMINIUM PROFILE S-LINE TILES AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

FLEX STRIP IP53 400	×
FLEX STRIP IP53 800	×
FLEX STRIP IP53 400 HE+	×
FLEX STRIP IP53 800 HE+	×
FLEX STRIP IP53 HD RGB	×
FLEX STRIP IP68 400 ENERGY	—
FLEX STRIP IP68 400	—
FLEX STRIP IP68 800 ENERGY	—
FLEX STRIP IP68 800	—
FLEX STRIP IP68 400 HE+	—
FLEX STRIP IP68 800 HE+	—
FLEX STRIP SPOTLESS	—

FLEX STRIP IP65 Xtend	—
FLEX STRIP IP65 900 FOOD	—
FLEX STRIP IP65 WELLNESS	—
FLEX STRIP IP68 HD RGB	—
FLEX STRIP IP68 RGBW 4-IN-1	—
FLEX STRIP IP68 RGB+CCT 5-IN-1	—
FLEX STRIP IP68 HD RGB+CCT 5-IN-1	—
FLEX STRIP IP65 DIGITAL	—
FLEX STRIP OPAL HAMBURG	—
FLEX STRIP OPAL LONDON	—
FLEX STRIP OPAL LIVERPOOL	—
FLEX STRIP OPAL MILAN	—
FLEX STRIP OPAL SIDE VIEW	—
FLEX STRIP OPAL 360	—
FLEX STRIP XTREME MONO	—
FLEX STRIP XTREME RGB	—

PRODUCT TYPES

order code	description	length
L69T010	ALUMINIUM PROFILE S-LINE TILES 10 mm	2 m
L69T010X	ALUMINIUM PROFILE S-LINE TILES 10 mm	3 m
L69T010Z	ALUMINIUM PROFILE S-LINE TILES 10 mm	per meter (max. 3 m)*
L69T010W	ALUMINIUM PROFILE S-LINE TILES 10 mm white**	2 m
L69T010WX	ALUMINIUM PROFILE S-LINE TILES 10 mm white**	3 m

order code	description	length
L69T010WZ	ALUMINIUM PROFILE S-LINE TILES 10 mm white**	per meter (max. 3 m)*
L69T010B	ALUMINIUM PROFILE S-LINE TILES 10 mm black***	2 m
L69T010BX	ALUMINIUM PROFILE S-LINE TILES 10 mm black***	3 m
L69T010BZ	ALUMINIUM PROFILE S-LINE TILES 10 mm black***	per meter (max. 3 m)*
L69T013	ALUMINIUM PROFILE S-LINE TILES 13 mm	2 m
L69T013X	ALUMINIUM PROFILE S-LINE TILES 13 mm	3 m
L69T013Z	ALUMINIUM PROFILE S-LINE TILES 13 mm	per meter (max. 3 m)*
L69T013W	ALUMINIUM PROFILE S-LINE TILES 13 mm white**	2 m
L69T013WX	ALUMINIUM PROFILE S-LINE TILES 13 mm white**	3 m
L69T013WZ	ALUMINIUM PROFILE S-LINE TILES 13 mm white**	per meter (max. 3 m)*
L69T013B	ALUMINIUM PROFILE S-LINE TILES 13 mm black***	2 m
L69T013BX	ALUMINIUM PROFILE S-LINE TILES 13 mm black***	3 m
L69T013BZ	ALUMINIUM PROFILE S-LINE TILES 13 mm black***	per meter (max. 3 m)*
L69T010E	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm	-
L69T010EW	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm white**	-

order code	description	length
L69T010EB	ALUMINIUM END CAP FLAT S-LINE TILES 10 mm black***	-
L69T013E	ALUMINIUM END CAP FLAT S-LINE TILES 13 mm	-
L69T013EW	ALUMINIUM END CAP FLAT S-LINE TILES 13 mm white**	-
L69T013EB	ALUMINIUM END CAP FLAT S-LINE TILES 13 mm black***	-

***Custom Length** / **white RAL 9016 / ***black similar to RAL 9005

MEMBER OF THE PROLED GROUP